



eTwo PATIENT CONSENT

I hereby authorize and direct Timeless Rx's eTwo technician to perform Sublative/Sublime (circle procedure) on me. I understand that the eTwo is a device used for skin resurfacing (Sublative) and wrinkle treatment (Sublime) of which I am consenting to be a patient receiving _____ Treatment (specify procedure) I understand that clinical results may vary depending on individual factors, including but not limited to medical history, skin type, patient compliance with pre and post treatment instruction, and individual response to treatment. I understand that there is a possibility of short-term effects such as reddening, mild burning, temporary bruising and temporary discoloration of the skin, as well as the possibility of rare side effects such as scarring and permanent discoloration. These effects have been fully explained to me ____ (initials). I understand that treatment with the eTwo involves a series of treatments and the fee structure has been fully explained to me ____ (initials).

I certify that I have been fully informed of the nature and purpose of the procedure, expected outcomes and possible complications, and I understand that no guarantee can be given as to the final result obtained. ____ (Initials)

I am fully aware that my condition is of cosmetic concern and that the decision to proceed is based solely on my expressed desire to do so. ____ (Initials)

I confirm that I have informed the staff regarding any current or past medical condition, disease or medication taken. ____ (Initials)

I certify that I have been given the opportunity to ask questions and that I have read and fully understand the contents of this consent form. ____ (Initials)

PATCH TEST

A patch test treatment may be done to evaluate skin responsiveness. By refusing I release the technician and Timeless Rx and their owners from liability if I develop an allergic reaction.

I consent to the patch testing: _____

I am refusing patch testing: _____

MEDICAL INFORMATION:

- YES NO Accutane; If Yes, when? _____
- YES NO Allergies
- YES NO Autoimmune disease, HIV, Lupus, Hepatitis
- YES NO Currently taking Birth Control Pills or other Hormones
- YES NO Diabetes
- YES NO Eczema
- YES NO Electrolysis; If yes, when? _____
- YES NO Glycolic Treatments; If yes, when? _____
- YES NO Herpes, Cold Sores, Fever Blisters
- YES NO Irregular, Pigmented Moles or Growths
- YES NO Keloids, Pigmented Scars
- YES NO Migraine Headaches
- YES NO Currently Pregnancy or Breast Feeding?
- YES NO Retin A, Renova; If yes, when? _____
- YES NO Recent Sunburn or tan; If yes, when? _____
- YES NO Warts
- YES NO Any condition not listed: _____
- YES NO Currently under the care of a physician?
- YES NO Currently taking any medication? _____
- YES NO Laser procedures, chemical peel, dermabrasion or microdermabrasion?

ACKNOWLEDGEMENT:

I understand and acknowledge that payments for the above named procedure(s) are non- refundable. ____ (Initial)

By my signature below, I certify that I have read and fully understand the contents of this permit for Laser Hair Removal and that the disclosures referred to herein were made to me.

Client Signature

Date

Witness Signature

Date



eTwo PRE & POST INSTRUCTIONS

Pre Treatment Precautions:

- ✓ Prior to the eTwo treatment please observe the following:
- ✓ Avoid all alpha hydroxyl and beta hydroxyl products (AHA/BHA), Hydroquinone, retinols/retinoid, Tazorac and Differin 7 days prior to laser treatment.
- ✓ Avoid prolonged sun exposure to any areas that will be treated 7 days prior to treatment.
- ✓ Treatment will not be administered on sunburned skin.
- ✓ Avoid sunless tanning products on any areas that will be treated 7 days prior to treatment.
- ✓ If an active or extreme breakout occurs on the area to be treated before treatment, contact our office to reschedule.
- ✓ No chemical peels, laser hair removal or skin resurfacing treatments on any areas that will be treated for a minimum of two weeks or until complete healing has occurred.
- ✓ Patients with any abnormal lesions, moles or spots on the areas to be treated must be cleared by a medical practitioner prior to treatment.
- ✓ If you are prone to cold sores, take an anti-viral medication prior to treatment. Patients with active cold sores may not be treated.
- ✓ Patients who have used Accutane, or similar products within the past 6 months CANNOT have an eTwo treatment.
- ✓ Patients who have had Botox or dermal fillers in the area that will be treated, need to wait 14 days before any eTwo treatments.
- ✓ Patients with a pacemaker, internal defibrillator or any other active electrical implant anywhere in the body may not receive any eTwo treatments.
- ✓ We do not treat over permanent makeup or tattoos.
- ✓ Cleanse treatment area and apply numbing cream 45 min to 1 hour prior to the eTwo treatment.
- ✓ To reduce your risk of complications, it is important to follow these pre-treatment instructions.

Post Care of the Treated Area:

- ✓ You may use regular cleanser and moisturizers. However, NO exfoliation for 7 days. Moisturizers may be applied several hours after treatment, and should be applied regularly throughout the healing process.
- ✓ After treatment you will see square imprints, with small matrix dot formations of scabs that may remain on your skin for several days. The scabs should not be touched or picked. Allow the skin to shed off naturally.
- ✓ For the first 1-3 days the skin will be red, tight and dry. Some swelling may occur.
- ✓ No make-up for 6-12 hours. A mineral make-up is recommended after 6-12 hours.
- ✓ After 1-3 days, or as soon as it is comfortable to do so, you may return to regular skin care products.
- ✓ Use a broad spectrum UVA/UVB sunscreen. A chemical free sunscreen is recommended.

What to Avoid:

To ensure proper healing, be certain to observe the following:

- ✓ For at least 1-3 days post treatment, do NOT use any Alpha Hydroxy Acids, Beta Hydroxy Acid, Retinol (Vitamin A), Vitamin C or anything perceived as "active" skincare.
- ✓ Avoid intentional and direct sunlight for 24 hours. No tanning beds. Use an SPF of 30 or higher.
- ✓ During the first 2 days following treatment, care should be taken to prevent trauma to the treated site: avoid hot baths, swimming, massages and saunas. ✓ The skin should be kept clean to avoid contamination or infection; any mechanical or thermal damage to the area must be avoided.
- ✓ No exercising or strenuous activity for the first 24 hours post-treatment.
- ✓ Remember to achieve the desired results; the specified number of treatments must be adhered to.
- ✓ Skipping treatments, even when it appears you have achieved the results, will result in a less than adequate outcome.
- ✓ To reduce your risk of complications, it is important to follow these post treatment instructions. If you have any questions or concerns, please contact our Timeless Rx technician, Sam Cochran at 985-893-6073 (o) or 985-400-9049 (c).



Potentially Photosensitizing Medications

This is not an exhaustive list of all potentially photosensitizing drugs. The clinician should ultimately determine if a medication photosensitizes a patient to the spectrum of light emitted from the GentleFAMILY lasers.

Acne Meds

Isotretinoin
(Accutane)
Tretinoin (Retin-A)

Anticancer

Chlorambucil
Cyclophosphamide
Dacarbazine
Fluorouracil
Flutamide
Mercaptopurine
Methotrexate
Procarbazine
Thioguanine
Vinblastine
Antidepressants
Amitriptyline
Amoxapine
Clomipramine
Doxepin
Imipramine
Isocarboxazid
Maprotiline
Phenelzine
Protriptyline
Trazadone
Trimipramine
Antiepileptics,
Sedative, Muscle
Relaxants
Carbamazepine
Cyclobenzaprine
Diazepam
Meprobamate
Phenobarbital
Phenytoin
Antihistamines
Azatadine
Clemastine
Diphenhydramine
Terfenadine
Tripeleminamine
Antihypertensives
Captopril
Diltiazem
Methyldopa

Minoxidil
Nifedipine
Antimicrobials
Ciprofloxacin
Clotazimine
Dapsone
Demeclocycline
Doxycycline
Enoxacin
Flucytosine
Griseofulvin
Ketoconazole
Lomefloxacin
Methacycline
Minocycline
Nalidixic acid
Narfloxacin
Ofloxacin
Oxytetracycline
Pyrazinamide
Sulfa drugs
(Bactrim, Septra,
Tetracycline)
Antiparasitics
Bithionol
Chloroquine
Pyruvinium
pamoate
Quinine
Thiabendazole
Antipsychotics
Chlorpromazine
Chlorprothixene
Fluphenazine
Haloperidol
Perphenazine
Prochlorperazine
Promethazine
Thioridazine
Thiothixane
Trifluoperazine
Thioflupromazine
Trimeprazine
Cardiovascular
Amiodarone
Atenolol
Captopril

Diltiazem
Disopyramide
Nifedipine
Propranolol
Quinidine
gluconate
Quinidine sulfate
Verapamil
Diuretics
Acetazolamide
Amiloride
Bendroflumethiazide
Benzthiazide
Chlorothiazide
Furosemide
Hydrochlorothiazide
Hydro flumethiazide
Methyclothiazide
Metalazone
Polythiazide
Quinethazone
Trichlormethia-zide
Hypoglycemics
Acetohexamide
Chlorpropamide
Glipizide
Tolazamide
Tolbutamide
NSAIDS
Diclofenac
Fenoprofen
Flurbiprofen
Indomethacin
Ketoprofen
Meclofenamate
Naproxen
Phenylbutazone
Piroxicam
Sulindac
Others
Bergamot oil
Oils of citron,
lavender, lime,
sandalwood
Benzocaine
Clofibrate

Oral contraceptive
Etretinate
Gold salts
Hexachlorophene
Lovastatin
St John's Wort
Gmethylcoumarin
(used in perfumes,
lotions, etc)